Work Orde												Page
Item ID: Revision ID:	D3196-4			Accept					s	etup Sta		
	Bar 12/21/10 12/30/10	Start Qty: 4.00 Req'd Qty: 4.00			!	Cust Item I Customer:	D:			Sto	p	
Approvals:	Process Pla	n: MF	Date: 10 - 12 - 2	\`Tooling: SPC (Y/N):	·		ate:		R	tun Sta Sto		
Sequence ID/ Work Center II	)	Operation Description	·	Set Up/ Run Hoi		Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr D3196	Rev Rev	ision Nbr										
Bandsaw Jeaspa Bandsaw		BAND SAW  Memo Cut blank:	(0.75" x 1.50") x 34.750" k	0.00 0.00 ong Bar	b.A	11/01/17	***		4	Ø		
110 1 <b>10</b>		HAAS CNC VERTICA	J. MACHINING #1	0.00								
HAAS 1 HAAS CNC vertical	machine #1	Memo	D3196-4 as per Folio FA33	0.00 39 and Dwg Ď319€	6Identify as	D3196-4□2-	11/01/14		<u> </u>			

120 QC

QC2- Inspect parts off machine FAI/FAIB

0.00

Memo

0.00

Quality Control

1110117

December 21, 2010 1:08:17 PM

Item ID:

D3196-4

Accept

Setup Start



**Revision ID:** 

**Start Date:** 

Item Name: Bar

Required Date: 12/30/10

12/21/10

Start Qty: 4.00

Req'd Qty: 4.00



**Cust Item ID:** 

**Customer:** 

Reference:

**Approvals:** 

Process Plan:

Date:

Tooling:

Date:

Run

Start

Stop



QC:

Date:

**SPC (Y/N):** 

Date:

Tool # Plan

Code

**Tool ID** 

Stop

Sequence ID/ **Work Center ID** 

130

Quality Control

**Operation Description** 

OC8- Inspect parts - second check

Memo

Set Up/ **Run Hours** 

0.00

m/11/1/18

Accept Qty

Reject Qty

Reject Insp. Number Stamp

140

HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

0.00

=> M 11/61/18 4 8

Memo

0.00

150 Powdercoat

**Powder Coating** 

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

0.00

START TIME:

□OVEN TEMPERATURE:

- H. Bl 11-01-19

230 OFINISH TIME:

0.00

			A Company of the Comp	The state of the s			
					*		
	· ,			• •			
			خو ت ي م				
			The state of the s			·	
. <b>t</b>	<b>9</b>				·		

## Work Order ID 64884

December 21, 2010 1:08:17 PM



Page 3

Item ID:

D3196-4

Accept

Setup Start

Stop



Revision ID:

**Start Date:** 

Item Name: Bar

Required Date: 12/30/10

12/21/10

QC:

Start Qty: 4.00

Req'd Qty: 4.00



**Cust Item ID:** 

**Customer:** 

Reference:

Approvals:

Process Plan:

Date:

Date: \_\_\_\_\_

Tooling:

SPC (Y/N):

Date: Date:

Qty

Stop

Start



Sequence ID/ **Work Center ID** 

160

Quality Control

Operation Description

QC3- Inspect Part Finish

Memo

Set Up/ **Run Hours** 

11/01/19

Tool ID

Code

Tool # Plan

Reject Accept Qty

Run

Reject Insp. Number Stamp

170

Packaging

Packaging

Identify as per dwg & Stock Location 260

Memo

0.00

0.00

0.00

180

**Quality Control** 

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

## **Picklist Print**

December 21, 2010 1:08:16 PM

Work Order ID: 64884

Parent Item:

D3196-4

Parent Item Name: Bar

**Start Date:** 12/21/10

Required Date: 12/30/10

Page 1

Start Qty: 4.00

Required Qty: 4.00

**Comments:** 

IPP Rev: A New Issue 05-11-08 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Prima Item Locat	 Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X01.50		Purchased	No	100	f	32.5460	2.89	12.16842	?		

5061-T6 Bar .750 X 1.50

Location	Loc Qty	Loc Code			
MAT	29.546				
116135	1.746			B.A	110117
<b>(1)</b> 116405	27.8		3.0421 ++	<b>~</b> 11.	• •
MAT028	3				
114968	3			1.	l. ha
<i>1</i> ~ .			9.1263 FF	A. B	11/01/17
3) 116604			4.1263		• •

DART AEROSPACE LTD	Work Order:	64884
Description: Bar	Part Number:	D3196-4
Inspection Dwg: D3196 Rev: B		Page 1 of 1


## FIRST ARTICLE INSPECTION CHECKLIST

	X	First Article	Prototype
--	---	---------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
34.625	+/-0.010	34.625	/		METADE	17/8
33.650	+/-0.010	33650			1 1	
16.639	+/-0.010	16.639				
0.488	+/-0.010	.489	//		1/an 1-3	
0.962	+/-0.005	.964			٠,٨	-
0.464	+/-0.010	463			~	
0.504	+/-0.010	.503			~	
Ø0.344	+0.006/-0.001	3H3			~	
Ø0.660 x 100°	+0.008/-0.001 x 0.5°	-660			-	
0.512	+/-0.005	.512				
0.060 x 45°	+/-0.010 x 0.5°	CX6X456			٠ س	
4.750	+/-0.010	4.751			~	
12.531	+/-0.010	12.531				
16.627	+/-0.010 /6.62	120×120+4	/			
21.844	+/-0.010	21.844				
29.625	+/-0.010	29625	·/			
0.250	+/-0.010	252			in.	
1.000	+/-0.010	1.002			~	
R0.125	+/-0.010	125	/, .		RG	
0.987	+/-0.010	-987			~	

Measured by:	Audited by:	and.	Prototype Approval:	N/A
Date: 11 01 7	Date:	11/01/18	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	04.04.20	New Issue	KJ/RF	
В	06.10.24	Dwg Rev. updated	KJ/JLM	E




06.10.31

BAR

OF 3

15



## D3196-4 BAR

봀

DOCUMENT

ᅜ

Copyright © 2003 by DART AEROSPACE LTD

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ANY PURPOSE

욹

COPIED

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8) (REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
  POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

and the state of t
***
* 40°
•
• .